Sci

MEDICAL LABORATORY SCIENCES

SERIALS

APR 9 1981

MICHIGAN STATE UNIVERSITY
LIBRARIES

INDEXES

Volume 37 1980

SUBJECT INDEX

A

Accelerator in a double antibody radioimmunoassay system. Polyethylene glycol 6000 as an 367
Acid phosphatase activity in nervous tissue. An optimized lead capture electronhistochemical technique for the demonstration of lysosomal and non lysosomal 149
Acquired red cell antigen derived from PVC blood packs. An 171
Advantages of low ionic strength saline (LISS) techniques in blood bank management 119
Agar as an aid to the identification of *Kl. pneumoniae* in sputum. Ornithine–sorbitol. 365
Agglutination method. Preparation of *Streptococcus pyogenes* suspensions for typing by the 361
Albumin preparations for use in the radioimmunoassay of glucagon. Selection of 175
Amino acids. Interference in the fluorimetric o'phthaldialdehyde assay for proteins and 173
Anaerobic bacilli. Rapid methods for identification of clinical isolates of Gram-negative 331
Androgenic steroids. A simple chromatographic method for the radioimmunoassay of four 31
Androgens: elimination of centrifugation and solvent extraction. Radioimmunoassay of serum . . . 23
Antibody detection: optimum conditions and quality control. Low-ionic strength media for rapid 107
Antibody method (PAP) of immunohistochemistry. A non-immunoglobulin link reagent for use in the unlabelled 359
Antigen screening of donor blood. Modification of automated Coombs' test system for rapid 347
Antigens. Cell-mediated immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral 13
Autoimmune disease, cell mediated immunity and 1
Automated Coombs' test system for rapid antigen screening of donor blood. Modification of 347
Automation in the medical laboratory. Microprocessors and 197
Autoradiography technique applicable to coverglass cell cultures. A modified 355

B

Bacterial identification. Computer assisted 223
Bacteriophage non-typable strains of *Staphylococcus aureus*. An investigation into the origin of. . . 81
Bar-coding in a blood transfusion centre. Data capture by the use of. 237
Beta haemolysis by *Streptococcus salivarius*. The influence of the composition of blood agar on . . 341
Blood. Selection of procedures for compatibility testing of. Leading Article 105
Blood agar on beta haemolysis by *Streptococcus salivarius*. The influence of the composition of . . 341
Blood bank management. Advantages of low ionic strength saline (LISS) techniques in 119
Blood group distribution and ABO haemolytic disease of the newborn in Jamaica 263
Blood grouping systems. Reagent control for continuous flow 349
Blood packs. An acquired red cell antigen derived from PVC 171
Blood transfusion centre. Data capture by the use of bar-coding in a. 237
Book Reviews:
- Advances in Applied Microbiology. Volume 23 – *D. Perlman (Editor)* 189
- Advances in Medical Oncology, Research and Education. Volume 1. Carcinogenesis – *G. P. Margison (Editor)*. 310
- Advances in Medical Oncology, Research and Education. Volume IV. Biological Basis for Cancer Diagnosis – *Margaret Fox (Editor)*. 310
- Advances in Medical Oncology, Research and Education. Volume VII. Leukaemia and Non-Hodgkin Lymphoma – *D. G. Crowther (Editor)* 310
- Advances in Medical Oncology, Research and Education. Volume XII. Abstracts – *A. Canonico, O. Estevez, R. Chacon and S. Barg (Editors)* 310
- Animal Tissue Techniques – *Gretchen L. Humason* 187
- Atlas of Clinical Haematology. 3rd Edition – *H. Begemann and J. Rastetter (Editors)* 309
- Atlas of Lymph Node Pathology – *Jeanne Arno* 376
- Basic Medical Microbiology – *R.F. Boyd and B. G. Hoerl*. 189
- Biochemical and Clinical Aspects of Haemoglobin Abnormalities – *W. S. Caughey (Editor)* . 186
- Biochemistry Level III – *P. L. Davies* 308
- Blood Coagulation and Haemostasis. A Practical Guide. 2nd edition – *Jean M. Thomson (Editor)* 375
- Blood, Pure and Eloquent – *M. M. Wintrobe (Editor)* 378
- British Qualifications, 10th Edition – *B. Priestly (Editor)*. 379
- Cell Biology and Immunology of Leukocyte Function – *Michael R. Quastel (Editor)*. 188
- Chemical Carcinogenesis – British Medical Bulletin, Vol. 36, No. 1 376
- Chemical Diagnosis of Disease – *S. S. Brown, F. L. Mitchell and D. S. Young (Editors)*. . . . 305
- Clinical Bacteriology – *P. W. Ross* 377
- Clinical Chemical Pathology – *C. H. Gray and P. J. N. Howorth* 375

SUBJECT INDEX

Clinical Implications of Laboratory Tests — *Sarko M. Tilkiau and Mary H. Conover* 191
Clinicians Guide to Antibiotic Therapy. A — *Paul Noone* 305
367 Comprehensive Review for Medical Technologists, 2nd Edition — *Alice M. Semrad (Editor)* . 313
Current Concepts in Paediatric Biochemistry — *A. Westwood and D. C. Cowell (Editors)* . . . 306
149 Developments in Immunopathology — *E. J. Holborrow (Editor)* 311
171 Diagnostic Electron Microscopy Parts 1 and 2 — *Jans Vincents Johannessen* 102
119 Diagnostic Parasitology Clinical Laboratory Manual, 2nd Edition — *Lynne Shore Garcia and Lawrence R. Ash* 311
365
361 Functional Histology — *P. R. Wheater, H. G. Burkitt and V. G. Daniels* 187
175 GLC and HPLC Determination of Therapeutic Agents. Part 2 — *K. Tsuji (Editor)* 306
173 Good Laboratory Practice. (Topics in Toxicology) — *G. E. Paget (Editor)* 186
331 Haemopoietic Cell Differentiation — *W. D. Golde, M. J. Cline, D. Metcalf and C. F. Fox (Editors)* 187
31
23 Haemostasis and Thrombosis. A Conceptual Approach — *J. Hirsh and Elizabeth D. Brain.* . . 100
High Performance Liquid Chromatography. Chemical Laboratory Practice — *H. Engelhardt* . 185
107 How to Write and Publish a Scientific Paper — *Robert A. Day* 314
Immunodiagnosis of Cancer. Part 1 — *Ronald B. Herberman, K. Robert McIntire (Editors).* . 100
359 Immunology: CRC Handbook Series in Clinical Laboratory Science, Section F, Vol. 1,
347 Part 1 — *Editor-in-Chief: David Seligson. Section Editors: Alexander Baumgarten, Frank F. Richards.* 101
13 Immunology at a Glance — *J. H. L. Playfair* 311
1 Introduction to Radiation Dosimetry. An — *S. Lovell* 191
347 Introduction to the Profession of Medical Technology. An. 3rd Edition — *M. Ruth Williams*
197 *and David. S. Lindberg* 314
355 Iron Metabolism in Man — *T. H. Bothwell, R. W. Charlton, J. D. Cook and C. A. Finch.* 309
Laboratory Investigation of Endocrine Disorders — *M. R. Willis, C. W. H. Havard and P. J. Roylance* 99
Laboratory Organisation and Management — *F. Grover and P. Wallace* 192
223 Logic and Economics of Clinical Laboratory Use — *E. S. Benson and M. Rubin (Editors).* . . 103
81 Medical Immunology — *James Irvine (Editor).* 188
237 Medical and Biological Application of Mass Spectrometry. The — *J. P. Payne, J. A. Bushman*
341 *and D. W. Hill* 308
105 Medical Parasitology. A Self-Instructional Text — *Ruth Leventhal and Russell F. Cheadle* . . 190
341 Medicine: The Forgotten Art — *C. Elliott-Binns* 104
119 Metabolic Pathways in Medicine — *H. G. J. Worth and D. H. Curnow* 307
263 Methods in Microbiology. Volume 10. Volume 11 — *T. Bergan and J. R. Norris (Editors)* . . 377
349 Methods in Enzymology Vol. LVIII. Cell Culture — *W. B. Jakoby and I. H. Pastan (Editors).* 185
171 Methods of Hormone Radioimmunoassay. 2nd Edn — *B. M. Jaffe and H. R. Behrman*
237 *(Editors)* 100
Packaging and labelling of dangerous substances. Health and Safety Executive 104
189 Paediatric Chemical Pathology — *Barbara E. Clayton, P. Jenkins and Joan M. Round (Editors)* 375
310 Parasite Immunology 1, No. 1 — *R. J. Terry and A. C. Allison (Editors).* 102
Principles of Immunology. 2nd Edn — *N. R. Rose, F. Milgrom and C. J. van Oss (Editors)* . . 101
310 Principles of Statistical Techniques. 2nd Edition — *P. G. Moore* 191
310 Radionuclide Release into the Environment: Assessment of Doses to Man (ICRP 29). *International Commission on Radiation Protection.* 312
Radionuclid Techniques in Medicine — *J. M. McAlister* 313
310 Recent Advances in Infection. — 1 — *David Reeves and Alasdair Geddes (Editors).* 190
187 Review of Clinical Laboratory Methods — *Kanai L. Mukerjee.* 378
309 Serology and Genetics of the Rhesus Blood Group System — *P. D. Issitt* 99
376 Short Guide to Computers and their Application in Clinical Laboratories. A — *G. S. Chal-*
189 *land, A. S. McLelland, K. Piper and P. G. Sanders* 103
186 Shorter Textbook of Medical Microbiology. A 4th Edition — *D. C. Turk and I. A. Porter.* . . 377
308 Sulphate Reducing Bacteria. The — *J. R. Postgate* 305
Time Lapse Cinemicroscopy — *P. N. Riddle* 378
375 Virology and Rickettiology: CRC Handbook Series in Clinical Laboratory Science. Vol. 1.
378 Part 1 — *Editor-in-Chief: D. Seligson. Section Editors: G. D. Hsuing and R. H. Green* . . . 312
379 Working with Ion-Selective Electrodes. 2nd Edition — *K. Cammann* 307
188 Books Received: —
376 Brief History of H. M. Medical Inspectorate. A — *M. Kipling* 380
305 Dicken's Doctors — *D. Smithers.* 380
377 Handbook of Engineering in Medicine and Biology — *D. G. Fleming and B. N. Feinberg*
375 *(Editors)* 379

SUBJECT INDEX

Linscotts' Catalog of Immunological and Biological Reagents – *W. D. Linscott and N. C. Linscott* 380
Physics for the Health Service – *C. R. Nave and B. C. Nave* 380
Praxis der Urinzytologie, phasenkontrastmikroskopie und Analyse gefarbter Präparate – *V. von L. G. Koss* 380
Toxicity of Ozone. The – *D. Hughes* 380

C

Calculator for computation of platelet counts from particle counts. Use of an inexpensive programmable 39
Cell cultures. A modified autoradiography technique applicable to coverglass 355
Cell-mediated immune responses in rheumatoid arthritis. I. Cytoxicity against transformed cell lines. 3
Cell-mediated immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral antigens 13
Cell-mediated immunity and autoimmune disease. Leading Article 1
Chromatographic method for the radioimmunoassay of four androgenic steroids. A simple. 31
Clinical chemistry. Iron-oxygen reactions and their use in 267
Clinical chemistry laboratory. Computer assisted methods of organisation, quality control and performance control in the 243
Clinical evaluation of a simple radioimmunoassay for cortisol in plasma 285
Comparative studies of a commercial kit for the estimation of serum ferritin 275
Comparison of five methods for the detection of *Trichomonas vaginalis* in clinical specimens. A. . . . 85
Compatibility testing of blood. Selection of procedures for. Leading Article 105
Complement fixation test. The diagnostic value of gonococcal 165
Computation of platelet counts from particle counts. Use of an inexpensive programmable calculator for 39
Computer assisted bacterial identification 223
Computer assisted methods of organisation, quality control and performance control in the clinical chemistry laboratory 243
Computing – an evaluation, with guidelines for potential users. Laboratory 215
Computing in Glasgow. Hospital service department 205
Computers and transplantation 257
Computers in medical laboratories: the hare and the tortoise. Leading article. 193
Continuous flow blood grouping systems. Reagent control for 349
Coombs' test system for rapid antigen screening of donor blood. Modification of automated. 347
Cortisol in plasma. Clinical evaluation of a simple radioimmunoassay for 285
Cost saving with the Sorvall resin embedding system 179
Coverglass cell cultures. A modified autoradiography technique applicable to 355
Cryotomy. Long term storage of fresh tissue at −20°C embedded for 93
Cytotoxicity against transformed cell lines. Cell-mediated immune responses in rheumatoid arthritis. I 3

D

Data capture by the use of bar-coding in a blood transfusion centre 237
Data handling in clinical microbiology 229
Density gradient formation by freezing and thawing. Sucrose 89
Detection and measurement of factor XIII activity: A review. The 137
Detection of *Trichomonas vaginalis* in clinical specimens. A comparison of five methods for the. . . 85
Detection of viral particles by electron microscopy. Rapid preparation of faecal specimens for . . . 371
Diagnostic value of gonococcal complement fixation test. The 165
Donor blood. Modification of automated Coombs' test system for rapid antigen screening of 347

E

Electronhistochemical technique for the demonstration of lysosomal and non lysosomal acid phosphatase activity in nervous tissue. An optimized lead capture 149
Electron microscope studies of various glomerulonephropathies. Scanning 57
Electron microscopy. Rapid preparation of faecal specimens for detection of viral particles by . . . 371

SUBJECT INDEX

Electron microscopy. Resectioning 4–5 μm epoxy sections for. 181
Electron microscopy. The preparation of renal tissue for scanning 43
(ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A micro-enzyme-linked immunosorbent assay. 323
Epoxy sections for electron microscopy. Resectioning 4–5 μm. 181
Evaluation of a simple radioimmunoassay for cortisol in plasma. Clinical 285

F

Factor XIII activity: A review. The detection and measurement of. 137
Faecal specimens for detection of viral particles by electron microscopy. Rapid preparation of . . . 371
Ferritin. Comparative studies of a commercial kit for the estimation of serum 275
Fibrinogen–fibrin degradation products. Tanned red cell haemagglutination-inhibition immunoassay of. 317
Fluorimetric o'phthaldialdehyde assay for proteins and amino acids. Interference in the 173
Frozen sectioning. A method of preparing paraffin sections of skeletal muscle after 91

G

Glomerulonephropathies. Scanning electron studies of various 57
Glucagon. Selection of albumin preparations for use in the radioimmunoassay of 175
Gonococcal complement fixation test. The diagnostic value of 165
Gram-negative anaerobic bacilli. Rapid methods for identification of clinical isolates of. 331

H

Haemagglutination-inhibition immunoassay of fibrinogen–fibrin degradation products. Tanned red cell 317
Haemolytic disease of the newborn in Jamaica. Blood group distribution and ABO 263
Hepatitis in the laboratory? How dangerous is. Leading Article. 315
Hospital service department computing in Glasgow. 205
How dangerous is hepatitis in the laboratory? Leading Article 315

I

Identification of clinical isolates of Gram-negative anaerobic bacilli. Rapid methods for 331
Identification of *Kl. pneumoniae* in sputum. Ornithine–sorbitol agar as an aid to the 365
Immune responses in rheumatoid arthritis. I. Cytotoxicity against transformed cell lines. Cell-mediated 3
Immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral antigens. Cell-mediated. 13
Immunity and autoimmune disease. Cell mediated 1
Immunity to clinical tetanus. A micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of 323
Immunoassay of fibrinogen–fibrin degradation products. Tanned red cell haemagglutination-inhibition 317
Immunohistochemistry. A non-immunoglobulin link reagent for use in the unlabelled antibody method (PAP) of 359
Infections. Laboratory acquired. 291
Influence of the composition of blood agar on beta haemolysis by *Streptococcus salivarius*. The . . 341
Investigation into the origin of bacteriophage non-typable strains of *Staphylococcus aureus*. An. . . 81
Iron–oxygen reactions and their use in clinical chemistry 267
Isolates of Gram-negative anaerobic bacilli. Rapid methods for identification of clinical 331
Interference in the fluorimetric o'phthaldialdehyde assay for proteins and amino acids 173

J

Jamaica. Blood group distribution and ABO haemolytic disease of the newborn in 263

K

Kit for the estimation of serum ferritin. Comparative studies of a commercial 275
Kl. pneumoniae in sputum. Ornithine-sorbitol agar as an aid to the identification of. 365

L

Laboratory acquired infections 291
Laboratory computing — an evaluation, with guidelines for potential users 215
Letters to the Editor 95, 303, 373
Long term storage of fresh tissue at −20°C embedded for cryotomy 93
Low ionic strength media for rapid antibody detection: optimum conditions and quality control . . 107
Low ionic strength saline (LISS) techniques in blood bank management. Advantages of 119
Low-toxicity solvent in the determination of urinary oestrogen. A. 351
Lymphocyte stimulation by synovial and viral antigens. Cell-mediated immune responses in rheumatoid arthritis. II 13
Lysosomal and non lysosomal acid phosphatase activity in nervous tissue. An optimized lead capture electronhistochemical technique for the demonstration of. 149

M

Method of preparing paraffin sections of skeletal muscle after frozen sectioning. A 91
Microbiology. Data handling in clinical. 229
Micro-enzyme linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A 323
Microprocessors and automation in the medical laboratory 197
Microscope studies of various glomerulonephropathies. Scanning electron 57
Microscopy. Rapid preparation of faecal specimens for detection of viral particles by electron. . . . 371
Microscopy. Resectioning 4–5 μm epoxy sections for electron 181
Microscopy. The preparation of renal tissue for scanning electron 43
Modification of automated Coombs' test system for rapid antigen screening of donor blood 347
Modified autoradiography technique applicable to coverglass cell cultures. A. 355
Muscle after frozen sectioning. A method of preparing paraffin sections of skeletal 91

N

Nervous tissue. An optimized lead capture electronhistochemical technique for the demonstration of lysosomal and non lysosomal acid phosphatase activity in 149
Non-immunoglobulin link reagent for use in the unlabelled antibody method (PAP) of immunohistochemistry. A. 359

O

Oestrogen. A low-toxicity solvent in the determination of urinary 351
Oestrogen and oestrogen: creatinine ratio in pregnancy urine. Stability of 299
Optimized lead capture electronhistochemical technique for the demonstration of lysosomal and non lysosomal acid phosphatase activity in nervous tissue. An 149
Ornithine–sorbitol agar as an aid to the identification of *Kl. pleumoniae* in sputum. 365
Obituary. Alexander B. Cheyne 97

P

Paraffin sections of skeletal muscle after frozen sectioning. A method of preparing 91
Particle counts. Use of an inexpensive programmable calculator for computation of platelet counts from 39
Performance control in the clinical chemistry laboratory, computer assisted methods of organization. Quality control and 243
Platelet concentrates for transfusion: control of production and storage 127

Platelet counts from particle counts. Use of an inexpensive programmable calculator for computation of 39
Polyethylene glycol 6000 as an accelerator in a double antibody radioimmunoassay system 367
Preparation of renal tissue for scanning electron microscopy. The 43
Preparation of *Streptococcus pyogenes* suspensions for typing by the agglutination method 361
Production and storage. Platelet concentrates for transfusion: control of 127
Proteins and amino acids. Interference in the fluorimetric o'phthaldialdehyde assay for. 173

Q

Quality control and performance control in the clinical chemistry laboratory, computer assisted methods of organization 243
Quality control. Low-ionic strength media for rapid antibody detection: optimum conditions and . 107

R

Radioimmunoassay for cortisol in plasma. Clinical evaluation of a simple 285
Radioimmunoassay of four androgenic steroids. A simple chromatographic method for the 31
Radioimmunoassay of glucagon. Selection of albumin preparations for use in the 175
Radioimmunoassay of serum androgens: elimination of centrifugation and solvent extraction 23
Radioimmunoassay system. Polyethylene glycol 6000 as an accelerator in a double antibody 367
Radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A micro-enzyme-linked immunosorbent assay (ELISA) and 323
Rapid antigen screening of donor blood. Modification of automated Coombs' test system for 347
Rapid methods for identification of clinical isolates of Gram-negative anaerobic bacilli 331
Rapid preparation of faecal specimens for detection of viral particles by electron microscopy 371
Reagent control for continuous flow blood grouping systems. 349
Reagent for use in the unlabelled antibody method (PAP) of immunohistochemistry. A non-immunoglobulin link 359
Red cell antigen derived from PVC blood packs. An acquired. 171
Renal tissue for scanning electron microscopy. The preparation of. 43
Resectioning 4–5 μm epoxy sections for electron microscopy 181
Resin embedding system. Cost saving with the Sorvall 179
Rheumatoid arthritis. I. Cytotoxicity against transformed cell lines. Cell-mediated immune responses in 3
Rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral antigens. Cell-mediated immune responses in 13
(RIST) for the detection of immunity to clinical tetanus. A micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique. 323

S

Scanning electron microscope studies of various glomerulonephropathies 57
Scanning electron microscopy. The preparation of renal tissue for 43
Sectioning. A method of preparing paraffin sections of skeletal muscle after frozen 91
Selection of albumin preparations for use in the radioimmunoassay of glucagon 175
Selection of procedures for compatibility testing of blood. Leading Article. 105
Serum ferritin. Comparative studies of a commercial kit for the estimation of 275
Simple chromatographic method for the radioimmunoassay of four androgenic steroids. A. 31
Skeletal muscle after frozen sectioning. A method of preparing paraffin sections of 91
Sorvall resin embedding system. Cost saving with the 179
Sputum. Ornithine–sorbitol agar as an aid to the identification of *Kl. pneumoniae* in. 365
Stability of oestrogen and oestrogen: creatinine ratio in pregnancy urine 299
Staphylococcus aureus. An investigation into the origin of bacteriophage non-typable strains of. . . 81
Steroids. A simple chromatographic method for the radioimmunoassay of four androgenic. 31
Storage of fresh tissue at −20°C embedded for cryotomy. Long term 93
Streptococcus pyogenes suspensions for typing by the agglutination method. Preparation of. 361
Streptococcus salivarius. The influence of the composition of blood agar on beta haemolysis by. . . 341
Sucrose density gradient formation by freezing and thawing 89

T

Tanned red cell haemagglutination-inhibition immunoassay of fibrinogen–fibrin degradation products 317
Tetanus. A micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical 323
Tissue. An optimized lead capture electronhistochemical technique for the demonstration of lysosomal and non lysosomal acid phosphatase activity in nervous 149
Tissue at −20°C embedded for cryotomy. Long term storage of fresh 93
Tissue for scanning electron microscopy. The preparation of renal 43
Transfusion: control of production and storage. Platelet concentrates for 127
Transplantation. Computers and 257
Trichomonas vaginalis in clinical specimens. A comparison of five methods for the detection of . . . 85
Typing by the agglutination method. Preparation of *Streptococcus pyogenes* suspension for 361

U

Urinary oestrogen. A low-toxicity solvent in the determination of 351
Use of an inexpensive programmable calculator for computation of platelet counts from particle counts 39

V

Viral antigens. Cell-mediated immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and 13
Viral particles by electron microscopy. Rapid preparation of faecal specimens for detection of . . . 371

INDEX OF SUBJECT INTERESTS

Blood Transfusion

Acquired red cell antigen derived from PVC blood packs. An . . . 171
Advantages of low ionic strength saline (LISS) techniques in blood bank management . . . 119
Blood group distribution and ABO haemolytic disease of the newborn in Jamaica . . . 263
Low-ionic strength media for rapid antibody detection: optimum conditions and quality control . . 107
Modification of an automated Coombs' test system for rapid antigen screening of donor blood . . . 347
Platelet concentrates for transfusion: control of production and storage . . . 127
Reagent control for continuous flow blood grouping systems. . . . 349
Selection of procedures for compatibility testing of blood . . . 105

Clinical Chemistry

Clinical evaluation of a simple radioimmunoassay for cortisol in plasma. . . . 285
Computer based techniques of performance control and internal quality control in a clinical chemistry laboratory . . . 243
Interference in the fluorimetric o'Phthaldialdehyde assay for proteins and amino acids . . . 173
Iron–oxygen reactions and their use in clinical chemistry . . . 267
Low-toxicity solvent in the determination of urinary oestrogen. A. . . . 351
Radioimmunoassay of serum androgens: elimination of centrifugation and solvent extraction . . . 23
Stability of oestrogens and oestrogens: creatinine ratio in pregnancy urine . . . 299
Selection of albumin preparations for use in the radioimmunoassay of glucagon . . . 175
Simple chromatographic method for the radioimmunoassay of four androgenic steroids. A. . . . 31
Sucrose density gradient formation by freezing and thawing . . . 89

Cytology

Modified autoradiography technique applicable to coverglass cell cultures. A. . . . 355

Data Processing

Computer-assisted bacterial identification . . . 223
Computer based techniques of performance control and internal quality control in a clinical chemistry laboratory . . . 243
Computers and transplantation . . . 257
Computers in medical laboratories: the hare and the tortoise . . . 193
Data capture by the use of bar-coding in a blood transfusion centre . . . 237
Data handling in clinical microbiology . . . 229
Hospital service department computing in Glasgow. . . . 205
Laboratory computing – an evaluation, with guidelines for potential users . . . 215
Microprocessors and automation in the medical laboratory . . . 197

Haematology

Comparative studies of a commercial kit for the estimation of Serum Ferritin . . . 275
Detection and measurement of factor XIII activity: a review . . . 137
Tanned red cell haemagglutination-inhibition immunoassay of fibrinogen–fibrin degradation products . . . 317
Use of an inexpensive programmable calculator for computation of platelet counts from particle counts . . . 39

Histopathology

Cost saving with the Sorval resin embedding system . . . 179
Long term storage of fresh tissue at −20°C embedded for cryotomy . . . 93
Method of preparing paraffin sections of skeletal muscle after frozen sectioning. A . . . 91
Non-immunoglobulin link reagent for use in the unlabelled antibody method (PAP) of immunohistochemistry. A . . . 359
Optimized lead capture, electron-histochemical technique for the demonstration of lysosomal and non lysosomal acid phosphatase activity in nervous tissue. An . . . 149
Preparation of renal tissue for scanning electron microscopy. The . . . 43
Resectioning 4–5 μm epoxy sections for electron microscopy . . . 181
Scanning electron microscope studies of various glomerulonephropathies . . . 57

Immunology

Cell-mediated immune responses in rheumatoid arthritis. 1. Cytotoxicity against transformed cell lines . . . 3
Cell-mediated immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral antigens . . . 13
Cell mediated immunity and autoimmune disease . . . 1

INDEX OF SUBJECT INTERESTS

Micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A 323
Polyethylene glycol 6000 as an accelerator in a double antibody radioimmunoassay system 367

Microbiology
Comparison of five methods for the detection of *Trichomonas vaginalis* in clinical specimens. A. . . 85
Computer-assisted bacterial identification 223
Diagnostic value of a gonococcal complement fixation test. The 165
Influence of the composition of blood sugar on beta haemolysis by *Streptococcus salivarius* 341
Investigation into the origin of bacteriophage non-typable strains of Staphylococcus aureus. An. . . 81
Laboratory acquired infections 291
Ornithine-sorbitol agar as an aid to the identification of *Kl. pneumoniae* in sputum 365
Preparation of *Streptococcus pyogenes* suspensions for typing by the agglutination method 361
Rapid methods for identification of clinical isolates of gram-negative anaerobic bacilli 331
Sucrose density gradient formation by freezing and thawing 89

Microscopy
Optimized lead capture, electron-histochemical technique for the demonstration of lysosomal and non-lysosomal acid phosphatase activity in nervous tissue. An 149
Preparation of renal tissue for scanning electron microscopy. The 43
Rapid preparation of faecal specimens for detection of viral particles by electron microscopy 371
Resectioning 4–5 μm epoxy sections for electron microscopy 181

Radioimmunoassay
Clinical evaluation of a simple radioimmunoassay for cortisol in plasma 285
Micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A 323
Polyethylene glycol 6000 as an accelerator in a double antibody radioimmunoassay system 367
Radioimmunoassay of serum androgens: elimination of centrifugation and solvent extraction 23
Selection of albumin preparations for use in the radioimmunoassay of glucagon 175
Simple chromatographic method for the radioimmunoassay of four androgenic steroids. A. 31

Safety
How dangerous is hepatitis in the laboratory? 315
Laboratory acquired infections 291

Virology
How dangerous is hepatitis in the laboratory? 315
Rapid preparation of faecal specimens for detection of viral particles by electron microscopy 371

AUTHOR INDEX

B

Bassett, R. M. Radioimmunoassay of serum androgens: elimination of centrifugation and solvent extraction . . . 23
Bassett, R. M. Simple chromatographic method for the radioimmunoassay of four androgenic steroids. A . . . 31
Ball, L. C. (see Saunders, K. A.). The influence of the composition of blood sugar on beta haemolysis by *Streptococcus salivarius*. . . . 341
Ball, M. (see Herod, E.). Use of an inexpensive programmable calculator for computation of platelet counts from particle counts . . . 39
Brown, Lyndesay M. Clinical evaluation of a simple radioimmunoassay for cortisol in plasma . . . 285
Bruce, M., Crawford, R. J., Mitchell, R. and Giles, C. M. An acquired red cell antigen derived from PVC blood packs . . . 171

C

Carter, N. Wynn. Leading Article: Computers in medical laboratories: the hare and the tortoise . . . 193
Chanas, A. C. and Johnson, B. K. Sucrose density gradient formation by freezing and thawing. . . . 89
Collins, C. H. Laboratory acquired infections . . . 291
Cooke, P. R. A low-toxicity solvent in the determination of urinary oestrogen . . . 351
Crawford, R. J. (see Bruce, M.). An acquired red cell antigen derived from PVC blood packs. . . . 171

D

Darnborough, J. (see Voak, D.). Low-ionic strength media for rapid antibody detection: optimum conditions and quality control . . . 107
Dick, H. M. Computers and transplantation . . . 257
Downie, D. M. (see Voak, D.). Low-ionic strength media for rapid antibody detection: optimum conditions and quality control . . . 107
Duerden, B. I. (see Rotimi, V. O.). Rapid methods for identification of clinical isolates of gram-negative anaerobic bacilli. . . . 331

E

Efstratiou, A. Preparation of *Streptococcus pyogenes* suspensions for typing by the agglutination method. . . . 361
English, R. T. Ornithine–sorbitol agar as an aid to the identification of *Kl. pneumoniae* in sputum . 365

F

Fairham, S. A. (see Haigh, T. J.). Advantages of low ionic strength saline (LISS) techniques in blood bank management . . . 119
Fairham, S. A. (see Voak, D.). Low-ionic strength media for rapid antibody detection: optimum conditions and quality control . . . 107
Farr, A. D. Leading Article: How dangerous is hepatitis in the laboratory? . . . 315
Farr, A. D. Leading Article: Selection of procedures for compatibility testing of blood . . . 105
Farrington, A. M. (see Herod, E.). Use of an inexpensive programmable calculator for computation of platelet counts from particle counts . . . 39
Faulkner, J. (see Rotimi, V. O.). Rapid methods for identification of clinical isolates of gram-negative anaerobic bacilli. . . . 331
Feltham, R. K. A. and Morrison, J. A. Data handling in clinical microbiology . . . 229
Ferguson, M. M. (see Marshall, W.). Modified autoradiography technique applicable to coverglass cell cultures. A . . . 355
Fincham, W. J. Leading Article: Cell mediated immunity and autoimmune disease . . . 1
Flatt, P. R. Selection of albumin preparations for use in the radioimmunoassay of glucagon . . . 175
Francis, J. L. The detection and measurement of factor XIII activity: A review . . . 137

G

Garner, S. E. and King, G. A. Laboratory computing – an evaluation, with guidelines for potential users . . . 215
Giles, C. M. (see Bruce, M.). Acquired red cell antigen derived from PVC blood packs. An . . . 171
Gutteridge, J. M. C. Iron–oxygen reactions and their use in clinical chemistry . . . 267
Gray, S. J. Investigation into the origin of bacteriophage non-typable strains of Staphylococcus aureus. An . . . 81

AUTHOR INDEX

Green, R. J. L. (see Webb, J. N.). Method of preparing paraffin sections of skeletal muscle after frozen sectioning. A 91

H

Haigh, T. J. and Fairham, S. A. Advantages of low ionic strength saline (LISS) techniques in blood bank management. 119
Haigh, T. (see Voak, D.). Low-ionic strength media for rapid antibody detection: optimum conditions and quality control. 107
Henery, Morag (see Shimmins, J. G.). Hospital service department computing in Glasgow 205
Henley, R. and Kisgyorgy, D. Polyethylene glycol 6000 as an accelerator in a double antibody radioimmunoassay system 367
Henrichsen, C. (see Young, H.). Diagnostic value of a gonococcal complement fixation test. The . . 165
Herod, E., Farrington, A. M., Urmston, A., Ball, M. and MacIver, J. E. Use of an inexpensive programmable calculator for computation of platelet counts from particle counts 39
Hogg, R. M. (see Miller, E. P.). Long term storage of fresh tissue at −20°C embedded for cryotomy 93

I

Ibbotson, R. N. and Jackson, R. E. Data capture by the use of bar-coding in a blood transfusion centre. 237

J

Jackson, R. E. (see Ibbotson, R. N.). Data capture by the use of bar-coding in a blood transfusion centre. 237
Janes, R. B. Cost saving with the Sorvall resin embedding system. 179
Johnson, B. K. (see Chanas, A. C.). Sucrose density gradient formation by freezing and thawing. . . 89

K

King, G. A. (see Garner, S. E.). Laboratory computing — an evaluation, with guidelines for potential users 215
Kings, G. L. M. and Stoodley, K. D. C. Tanned red cell haemagglutination-inhibition immunoassay of fibrinogen–fibrin degradation products. 317
Kisgyorgy, D. (see Henley, R.). Polyethylene glycol 6000 as an accelerator in a double antibody radioimmunoassay system 367
Knight, R. C. Reagent control for continuous flow blood grouping systems. 349

L

Lamey, P-J. (see Marshall, W.). Modified autoradiography technique applicable to coverglass cell cultures. A 355
Layton, G. T. Micro-enzyme-linked immunosorbent assay (ELISA) and radioimmunosorbent technique (RIST) for the detection of immunity to clinical tetanus. A 323
Leatham, A. J. (see Watts, Gail). Non-immunoglobulin link reagent for use in the unlabelled antibody method (PAP) of immunohistochemistry. A 359
Levett, P. N. Comparison of five methods for the detection of *Trichomonas vaginalis* in clinical specimens. A. 85
Lindo-Haynes, G. Blood group distribution and ABO haemolytic disease of the newborn in Jamaica 263

M

MacIver, J. E. (see Herod, E.). Use of an inexpensive programmable calculator for computation of platelet counts from particle counts 39
McMillan, A. (see Young, H.). Diagnostic value of a gonococcal complement fixation test. The . . . 165
Marshall, W., Lamey, P-J. and Ferguson, M. M. Modified autoradiography technique applicable to coverglass cell cultures. A. 355
Mitchell, R. (see Bruce, M.). Acquired red cell antigen derived from PVC blood packs. An 171
Miller, E. P. and Hogg, R. M. Long term storage of fresh tissue at −20°C embedded for cryotomy . 93
Morrison, J. A. (see Feltham, R. K. A.). Data handling in clinical microbiology 229
Munks, R. Modification of an automated Coombs' test system for rapid antigen screening of donor blood 347

AUTHOR INDEX

N

Neill, W. A. Cell-mediated immune responses in rheumatoid arthritis. 1. Cytotoxicity against transformed cell lines 3
Neill, W. A. Cell-mediated immune responses in rheumatoid arthritis. II. Lymphocyte stimulation by synovial and viral antigens 13

P

Payne, R. B. (see Phillips, S. D.). Stability of oestrogens and oestrogens: creatinine ratio in pregnancy urine 299
Phillips, A. D. (see Rice, S. J.). Rapid preparation of faecal specimens for detection of viral particles by electron microscopy 371
Phillips, Susan D. and Payne, R. B. Stability of oestrogens and oestrogens: creatinine ratio in pregnancy urine 299
Pritty, D. W. Microprocessors and automation in the medical laboratory 197

R

Rice, S. J. and Phillips, A. D. Rapid preparation of faecal specimens for detection of viral particles by electron microscopy 371
Rotimi, V. O., Faulkner, J. and Duerden, B. I. Rapid methods for identification of clinical isolates of gram-negative anaerobic bacilli 331

S

Saunders, K. A. and Ball, L. C. Influence of the composition of blood sugar on beta haemolysis by *Streptococcus salivarius*. The 341
Scott, T. Resectioning 4–5 μm epoxy sections for electron microscopy 181
Shimmins, J. G. and Henery, Morag. Hospital service department computing in Glasgow 205
Shute, Dawn J. Interference in the fluorimetric o'Phthaldialdehyde assay for proteins and amino acids 173
Stevens, M. Computer-assisted bacterial identification 223
Stoodley, K. D. C. (see Kings, G. L. M.). Tanned red cell haemagglutination-inhibition immunoassay of fibrinogen–fibrin degradation products 317

T

Tandy, N. P. and Taylor, M. A. Platelet concentrates for transfusion: control of production and storage 127
Tarpey, P. A. and Williams, G. Preparation of renal tissue for scanning. The electron microscopy . . 43
Tarpey, P. A. and Williams, G. Scanning electron microscope studies of various glomerulonephropathies 57
Taylor, M. A. (see Tandy, N. P.). Platelet concentrates for transfusion: control of production and storage 127
Thornton, J. A. and Waters, H. M. Comparative studies of a commercial kit for the estimation of Serum Ferritin. 275

U

Undrill, P. E. Computer based techniques of performance control and internal quality control in a clinical chemistry laboratory 243
Urmston, A. (see Herod, E.). Use of an inexpensive programmable calculator for computation of platelet counts from particle counts 39

V

Voak, D., Downie, D. M., Darnborough, J., Haigh, T. and Fairham, S. A. Low-ionic strength media for rapid antibody detection: optimum conditions and quality control 107

W

Waters, H. M. (see Thornton, J. A.). Comparative studies of a commercial kit for the estimation of serum ferritin. 275

Watts, Gail and Leatham, A. J. Non-immunoglobulin link reagent for use in the unlabelled antibody method (PAP) of immunohistochemistry. A 359
Webb, J. N. and Green, R. J. L. Method of preparing paraffin sections of skeletal muscle after frozen sectioning. A 91
Wilks, P. N. Optimised lead capture, electron-histochemical technique for the demonstration of lysosomal and non-lysosomal acid phosphatase activity in nervous tissue. An. 149
Williams, G. (see Tarpey, P. A.). Preparation of renal tissue for scanning electron microscopy 43
Williams, G. (see Tarpey, P. A.). Scanning electron microscope studies of various glomerulonephropathies 57

Y

Young, H., Henrichsen, C. and McMillan, A. Diagnostic value of a gonococcal complement fixation test. The 165

359

91

149
43

57

165